

# Arrow - Fix®



The clever solution to repair or reinforce your wood and bamboo arrows

Developed and made in Germany

Arrow-Fix® will be offered in 3 package variants, also all of the components of these packages are individually available

Article	Description / Content	SRP incl. 19% VAT	Net Price
Package 1 (PA1)	<p>Arrow – Fix® basic body anodised with integrated tapertool for the nock and point</p> <ul style="list-style-type: none"> <li>Aluminium adapter cylinder for the tapertool for shaft diameters 5/16", 11/32" und 23/64"</li> <li>Taper tool with a sharpened blade out of tool steel</li> <li>5° cone drill bit out of High Speed Steel (HSS)</li> <li>A <b>selection</b> of a centering socket for a diameter of 5/16" or 11/32" or 23/64"</li> <li>Allen wrench for the calibration and adjustment of the drill</li> <li>O-Rings</li> <li>Operating Instructions</li> <li>Storage box</li> </ul> <p>When ordering please indicate which diameter of the centering socket you would like. Instead of an aluminium socket a high-grade steel socket can be ordered for an additional charge of 10,- €</p>	120,90 €	101,60 €
Package 2 (PA2)	<p>Arrow – Fix® basic body anodised with integrated tapertool for the nock and point</p> <ul style="list-style-type: none"> <li>Aluminium adapter cylinder for the tapertool for shaft diameters 5/16", 11/32" und 23/64"</li> <li>Taper tool with a sharpened blade out of tool steel</li> <li>5° cone drill bit out of High Speed Steel (HSS)</li> <li>A selection of a centering socket for a diameter of 5/16" or 11/32" or 23/64"</li> <li><b>An additional selection</b> of a centering socket for a diameter of 5/16" or 11/32" or 23/64"</li> <li><b>Power drill holder</b> with a diameter of 43mm, a standard diameter for power drills</li> <li>Allen wrench for the calibration and adjustment of the drill</li> <li>O-Rings</li> <li>Operating instruction</li> <li>Storage box</li> </ul> <p>When ordering please indicate which <b>2 diameters</b> of the centering socket you would like. Instead of aluminium sockets high-grade steel sockets can be ordered for an additional charge of 10,- € per socket.</p>	141,30 €	118,75 €
Package 3 (PA3)	<p>Arrow – Fix® basic body anodised with integrated tapertool for the nock and point</p> <ul style="list-style-type: none"> <li>Aluminium adapter cylinder for the tapertool for shaft diameters 5/16", 11/32" und 23/64"</li> <li>Taper tool with a sharpened blade out of tool steel</li> <li>5° cone drill bit out of High Speed Steel (HSS)</li> <li>A selection of a centering socket for a diameter of 5/16" or 11/32" or 23/64"</li> <li>An additional selection of a centering socket for a diameter of 5/16" or 11/32" or 23/64"</li> <li><b>T-Tip drilling device</b> for the preparation of a centered boring in the arrow shaft in order to apply the tang points (T-Tip)</li> <li><b>3 T-Tips, stainless steel, 100grain or 125grain</b></li> <li><b>100g 5- Minute Epoxy (50g hardener und 50g resin)</b></li> <li>Power drill holder with a diameter of 43mm, a standard diameter for power drills</li> <li>Allen wrench for the calibration and adjustment of the drill</li> <li>O-Rings</li> <li>Operating Instructions</li> <li>Storage box</li> </ul> <p>When ordering please indicate which <b>2 diameters</b> of the centering socket you would like and your T-Tip selection. Instead of aluminium sockets high-grade steel sockets can be ordered for an additional charge of 10,- € per socket.</p>	158,90 €	133,53 €



# Arrow - Fix®



The clever solution to repair or reinforce your wood and bamboo arrows

Developed and made in Germany

Arrow-Fix® will be offered in 3 package variants, also all of the components of these packages are individually available

## Arrow-Fix® Package - Variants and Combinations

Order Code	Packages			Aluminum Socket			High Grade Steel Socket			SRP incl. 19% VAT	Net Price
	Package 1	Package 2	Package 3	5/16"	11/32"	23/64"	5/16"	11/32"	23/64"		
PA1-0516	x			x						120,90 €	101,60 €
PA1-0516R	x						x			130,90 €	110,00 €
PA1-1132	x				x					120,90 €	101,60 €
PA1-1132R	x							x		130,90 €	110,00 €
PA1-2364	x					x				120,90 €	101,60 €
PA1-2364R	x								x	130,90 €	110,00 €
PA2-1632		x		x	x					141,30 €	118,74 €
PA2-16R32		x			x		x			151,30 €	127,14 €
PA2-16R32R		x					x	x		161,30 €	135,55 €
PA2-1632R		x		x				x		151,30 €	127,14 €
PA2-1664		x		x		x				141,30 €	118,74 €
PA2-16R64		x				x	x			151,30 €	127,14 €
PA2-16R64R		x					x		x	161,30 €	135,55 €
PA2-1664R		x		x					x	151,30 €	127,14 €
PA2-3264		x			x	x				141,30 €	118,74 €
PA2-32R64		x				x		x		151,30 €	127,14 €
PA2-32R64R		x						x	x	161,30 €	135,55 €
PA2-3264R		x			x				x	151,30 €	127,14 €
PA3-1632			x	x	x					158,90 €	133,53 €
PA3-16R32			x		x		x			168,90 €	141,93 €
PA3-16R32R			x				x	x		178,90 €	150,34 €
PA3-1632R			x	x				x		168,90 €	141,93 €
PA3-1664			x	x		x				158,90 €	133,53 €
PA3-16R64			x			x	x			168,90 €	141,93 €
PA3-16R64R			x				x		x	178,90 €	150,34 €
PA3-1664R			x	x					x	168,90 €	141,93 €
PA3-3264			x		x	x				158,90 €	133,53 €
PA3-32R64			x			x		x		168,90 €	141,93 €
PA3-32R64R			x					x	x	178,90 €	150,34 €
PA3-3264R			x		x				x	168,90 €	141,93 €

Please order the desired package – variant with the corresponding order-code

and email your order to [sales@arrow-fix.com](mailto:sales@arrow-fix.com)





The clever solution to repair or reinforce your wood and bamboo arrows

Tools, points, nocks, bamboo - shafts and more

## Price list for parts and accessories

Order Code	Arrow – Fix Parts / Accessories	SRP incl. 19% VAT	Net Price
afslev-0516	Centering socket, aluminum, diameter 5/16"	9,60 €	8,07 €
afslev-1132	Centering socket, aluminum, diameter 11/32"	9,60 €	8,07 €
afslev-2364	Centering socket, aluminum, diameter 23/64"	9,60 €	8,07 €
afslev-0516R	Centering socket, diameter 5/16", high-grade steel for hardwood	21,00 €	17,65 €
afslev-1132R	Centering socket, diameter 11/32", high-grade steel for hardwood	21,00 €	17,65 €
afslev-2364R	Centering socket, diameter 23/64", high-grade steel for hardwood	21,00 €	17,65 €
aforing	O-Ring	1,20 €	1,01 €
afblidi-0	Blade for the Arrow-Fix taper tool and Power Taper, length=31,7mm (till 2016)	4,60 €	3,87 €
afblidi-1	Blade for the Arrow-Fix taper tool and Power Taper, length=33,7mm (from 2016)	4,60 €	3,87 €
afdril	5° Cone drill bit	47,60 €	40,00 €
ttdril	T-Tip drilling device	14,50 €	12,18 €
drholder	Power drill holder	14,90 €	12,52 €
epoxy	5-Minute Epoxy (50g Hardener + 50g Resin)	10,50 €	8,82 €



Order Code	Power Taper	SRP incl. 19% VAT	Net Price
ptn	Arrow-Fix® high speed nock taper tool for power drill (without socket)	40,30 €	33,87 €
ptn-16 ptn-32 ptn-64	Arrow-Fix® high speed nock taper tool for power drill, 5/16", 11/32" or 23/64" socket high grade steel of your choice	51,80 €	43,53 €
ptp	Arrow-Fix® high speed point taper tool with adjustable depth stop for power drill (without socket)	43,30 €	36,39 €
ptp-16 ptp-32 ptp-64	Arrow-Fix® high speed point taper tool with adjustable depth stop for power drill, 5/16", 11/32" or 23/64" socket high grade steel of your choice	54,90 €	46,13 €
ptset-16	Arrow-Fix® high speed nock and point taper tool-set for power drill, 5/16" socket high grade steel	95,20 €	80,00 €
ptset-1632	Arrow-Fix® high speed nock and point taper tool-set for power drill, 5/16" and 11/32" sockets	106,50 €	89,50 €
ptset-163264	Arrow-Fix® high speed nock and point taper tool-set for power drill, 5/16", 11/32" and 23/64" sockets high grade steel	118,00 €	99,16 €
ptslev-0516R	Centering socket for high speed taper tool, diameter 5/16", high-grade steel for hardwood	13,10 €	11,01 €
ptslev-1132R	Centering socket for high speed taper tool, diameter 11/32", high-grade steel for hardwood	13,10 €	11,01 €
ptslev-2364R	Centering socket for high speed taper tool, diameter 23/64", high-grade steel for hardwood	13,10 €	11,01 €



Order Code	Adjustable drill guide for shafts	incl. 19% VAT	Net Price
0516dri40	Arrow-Fix® drill guide Ø 4,0mm, for 5/16" shafts, wood and bamboo	15,90 €	13,36
1132dri40	Arrow-Fix® drill guide Ø 4,0mm, for 11/32" shafts, wood and bamboo	15,90 €	13,36
2364dri40	Arrow-Fix® drill guide Ø 4,0mm, for 23/64" shafts, wood and bamboo	15,90 €	13,36
1132dri30	Arrow-Fix® drill guide Ø 3,0mm, for 11/32" shafts, wood and bamboo	15,90 €	13,36



## Price list for parts and accessories

Order Code	Points	incl. 19% VAT	Net Price
ttsbl-125	T-Tip Burnished Steel, Ø 9,4mm, tapered tang 24,6mm, 125grain	0,80 €	0,67 €
ttsst-125	T-Tip Stainless Steel, Ø 9,4mm, tapered tang 25,0mm, 125grain	0,90 €	0,76 €
ttbrs-100	T-Tip Brass, Ø 9,0mm, tapered tang 17,8mm, 100grain	0,85 €	0,71 €
ttbrs-125	T-Tip Brass, Ø 9,4mm, tapered tang 17,1mm, 125grain	0,80 €	0,67 €
ttsst-7718-100	T-Tip Stainless Steel, Ø 7,7mm (~5/16"), cyl. tang 18mm, 100grain combinable with glue on broadheads	1,30 €	1,09 €
ttsst-7735-125	T-Tip Stainless Steel, Ø 7,7mm (~5/16"), cyl. tang 35mm, 100grain, Brake-Off-Point for 100grain, combinable with glue on broadheads	1,20 €	1,01 €
ttsst-7716-70	T-Tip Stainless Steel, Bullet, Ø 7,7mm (~5/16"), cyl. tang 16mm, 70grain	1,30 €	1,09 €
ttsst-7723-80	T-Tip Stainless Steel, Bullet, Ø 7,7mm (~5/16"), cyl. tang 23mm, 80grain Brake-Off-Point for 70grain	1,30 €	1,09 €
ttsst-7738-100	T-Tip Stainless Steel, Bullet, Ø 7,7mm (~5/16"), cyl. tang 38mm, 100grain Brake-Off-Point for 80grain, Brake-Off-Point for 70grain	1,20 €	1,01 €
ttdist-01	Spacer sleeve short for T-Tip drilling device / drill guide for ttsbl-100, ttsbl-125, ttsst-125	3,20 €	2,69 €
ttdist-02	Spacer sleeve medium for T-Tip drilling device / drill guide for ttbrs-100	3,20 €	2,69 €
ttdist-03	Spacer sleeve long for T-Tip drilling device / drill guide for ttbrs-125	3,20 €	2,69 €
LSbroadhead	T-Tip Longshaft, Stainless Steel, Ø 7,7mm (~5/16") in Ø 5,0mm x 0,5mm brass tube, l=83,0mm, total weight 205grain, ideal for bamboo-shaft, combinable with glue on broadheads, fillable brass tube for weight optimization	1,70 €	1,43 €
LSbullet	T-Tip Longshaft, Bullet, Stainless Steel, Ø 7,7mm (~5/16") in Ø 5,0mm x 0,5mm brass tube, l=83,0mm, total weight 180grain, ideal for bamboo-shaft, fillable brass tube for weight optimization	1,70 €	1,43 €
scsst-7819-100	Screw-in tip, N8-32 UNC, Stainless Steel, Ø 7,8mm (5/16"), o-ring to prevent from rattling loose, 100grain, combinable with glue on broadheads	1,20 €	1,01 €
scsst-7819-125	Screw-in tip, N8-32 UNC, Stainless Steel, Ø 7,8mm (5/16"), o-ring to prevent from rattling loose, 125grain, combinable with glue on broadheads	1,20 €	1,01 €
scsst-7819-145	Screw-in tip, N8-32 UNC, Stainless Steel, Ø 7,8mm (5/16"), o-ring to prevent from rattling loose, 145grain, combinable with glue on broadheads	1,20 €	1,01 €



Order Code	Nocks	incl. 19% VAT	Net Price
In0516or	Lighted Arrow Nock, 5/16", for wood / bamboo, orange	6,40 €	5,38 €
In1132or	Lighted Arrow Nock, 11/32", for wood / bamboo, orange	6,40 €	5,38 €
ttdist-In	Spacer sleeve long for T-Tip drilling device for Lighted Arrow Nock mounting	3,20 €	2,69 €
hnock	Horn nock, shaft-Ø 4mm	2,00 €	1,68 €
wnock-0516	Hardwood nock (hornbeam), 5/16", with inside taper	0,60 €	0,50 €
wnock-1132	Hardwood nock (hornbeam), 11/32", with inside taper	0,60 €	0,50 €
tnock-h	Hardwood nock (hornbeam), shaft Ø 4mm	1,00 €	0,84 €
tnock-r	Hardwood nock (common beech), shaft Ø 4mm	1,00 €	0,84 €





The clever solution to repair or reinforce your wood and bamboo arrows

Tools, points, nocks, bamboo - shafts and more

## Price list for parts and accessories

Order Code	Tonkin Bamboo – Shafts	SRP incl. 19% VAT	Net Price
bs-3035	Tonkin bamboo shaft, 33" (84cm) long, Spine 30 – 35 lbs, sanded nodes, waxed	2,50 €	2,10 €
bs-3035s	6 Tonkin bamboo shafts, 33" (84cm) long, Spine 30 – 35 lbs, sanded nodes, waxed, sorted ± 0,5 gram	20,20 €	16,97 €
bs-3540	Tonkin bamboo shaft, 33" (84cm) long, Spine 35 – 40 lbs, sanded nodes, waxed	2,50 €	2,10 €
bs-3540s	6 Tonkin bamboo shafts, 33" (84cm) long, Spine 35 – 40 lbs, sanded nodes, waxed, sorted ± 0,5 gram	20,20 €	16,97 €
bs-4045	Tonkin bamboo shaft, 33" (84cm) long, Spine 40 – 45 lbs, sanded nodes, waxed	2,50 €	2,10 €
bs-4045s	6 Tonkin bamboo shafts, 33" (84cm) long, Spine 40 – 45 lbs, sanded nodes, waxed, sorted ± 0,5 gram	20,20 €	16,97 €
bs-4550	Tonkin bamboo shaft, 33" (84cm) long, Spine 45 – 50 lbs, sanded nodes, waxed	2,50 €	2,10 €
bs-4550s	6 Tonkin bamboo shafts, 33" (84cm) long, Spine 45 – 50 lbs, sanded nodes, waxed, sorted ± 0,5 gram	20,20 €	16,97 €
bs-5055	Tonkin bamboo shaft, 33" (84cm) long, Spine 50 – 55 lbs, sanded nodes, waxed	2,50 €	2,10 €
bs-5055s	6 Tonkin bamboo shafts, 33" (84cm) long, Spine 50 – 55 lbs, sanded nodes, waxed, sorted ± 0,5 gram	20,20 €	16,97 €
bs-5560	Tonkin bamboo shaft, 33" (84cm) long, Spine 55 – 60 lbs, sanded nodes, waxed	2,50 €	2,10 €
bs-5560s	6 Tonkin bamboo shafts, 33" (84cm) long, Spine 55 – 60 lbs, sanded nodes, waxed, sorted ± 0,5 gram	20,20 €	16,97 €
bs-6065	Tonkin bamboo shaft, 33" (84cm) long, Spine 60 – 65 lbs, sanded nodes, waxed	2,50 €	2,10 €
bs-6065s	6 Tonkin bamboo shafts, 33" (84cm) long, Spine 60 – 65 lbs, sanded nodes, waxed, sorted ± 0,5 gram	20,20 €	16,97 €
bs-6570	Tonkin bamboo shaft, 33" (84cm) long, Spine 65 – 70 lbs, sanded nodes, waxed	2,50 €	2,10 €
bs-6570s	6 Tonkin bamboo shafts, 33" (84cm) long, Spine 65 – 70 lbs, sanded nodes, waxed, sorted ± 0,5 gram	20,20 €	16,97 €



Order Code	Beech Footing	SRP incl. 19% VAT	Net Price
bfd-0516	6pcs beech footing, 5/16", double length, two outer cones each with 5°, l=166mm (good for 12 footings)	10,50 €	8,82 €
bfs-0516	12pcs beech footing, 5/16", one outer cone with 5°, l=83mm	10,50 €	8,82 €
bfsd-0516	12pcs beech footing, 5/16", one outer cone with 5°, one 4mm centered boring in order to apply T-Tip points, l=83mm	13,80 €	11,60 €
bfd-1132	6pcs beech footing, 11/32", double length, two outer cones each with 5°, l=166mm (good for 12 footings)	10,50 €	8,82 €
bfs-1132	12pcs beech footing, 11/32", one outer cone with 5°, l=83mm	10,50 €	8,82 €
bfsd-1132	12pcs beech footing, 11/32", one outer cone with 5°, one 4mm centered boring in order to apply T-Tip points, l=83mm	13,80 €	11,60 €

Order Code	Osage Footing	SRP incl. 19% VAT	Net Price
ofd-0516	6pcs osage footing, 5/16", double length, two outer cones each with 5°, l=166mm (good for 12 footings)	10,50 €	8,82 €
ofs-0516	12pcs osage footing, 5/16", one outer cone with 5°, l=83mm	10,50 €	8,82 €
ofsd-0516	12pcs osage footing, 5/16", one outer cone with 5°, one 4mm centered boring in order to apply T-Tip points, l=83mm	13,80 €	11,60 €
ofd-1132	6pcs osage footing, 11/32", double length, two outer cones each with 5°, l=166mm (good for 12 footings)	10,50 €	8,82 €
ofs-1132	12pcs osage footing, 11/32", one outer cone with 5°, l=83mm	10,50 €	8,82 €
ofsd-1132	12pcs osage footing, 11/32", one outer cone with 5°, one 4mm centered boring in order to apply T-Tip points, l=83mm	13,80 €	11,60 €





The clever solution to repair or reinforce your wood and bamboo arrows

Tools, points, nocks, bamboo - shafts and more

## Price list for parts and accessories

Order Code	Atlatl	SRP incl. 19% VAT	Net Price
atlatl	Atlatl in dual-wood combination with antler point	39,90 €	33,53 €
dart	Dart for Atlatl (assembly set)	19,50 €	16,39 €
atdrl	Drilling device Ø 8,0mm for Atlatl-Dart	13,20 €	11,09 €
afslev-13R	Centering socket, diameter 13,0mm, high-grade steel for Atlatl-Dart	19,10 €	16,05 €



Order Code	Blowgun	SRP incl. 19% VAT	Net Price
blgun1200	Arrow-Fix® Blowgun, anodized precision aluminium pipe, 10mm inner diameter (Cal .40), length 1200mm, 3 darts	24,90 €	20,92 €
blgun1000	Arrow-Fix® Blowgun, anodized precision aluminium pipe, 10mm inner diameter (Cal .40), length 1000mm, 3 darts	22,90 €	19,24 €
blgun800	Arrow-Fix® Blowgun, anodized precision aluminium pipe, 10mm inner diameter (Cal .40), length 800mm, 3 darts	19,90 €	16,72 €
blgundart	Dart for 10mm (Cal .40), felt body, steel needle	0,90 €	0,76 €



## How to order

1. Select the items and quantities
2. Email your order incl. shipping / billing address to [sales@arrow-fix.com](mailto:sales@arrow-fix.com)
3. An order confirmation / invoice will be sent to you
4. Payments can be made by PayPal or bank transfer
5. PayPal payment will be assumed if nothing else is stated on the order
6. Shipping upon payment within the next 2 working days with DHL and tracking code

